

JOURNALS

Abrams, M. (1998) Thermal Infrared remote sensing yields unprecedented view of Earth from space, *Earth in Space*, **11**: 8-12.

Abrams, M. (2000) The Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER): Data products for the high spatial resolution imager on NASA's Terra platform, *International Journal of Remote Sensing*, **21(5)**: 847-859.

Abrams, M., and S.J. Hook (1995) Simulated ASTER data for geologic studies, *IEEE Transactions on Geoscience and Remote Sensing*, **33(3)**: 692-699.

Arai, K. (1995) Interactive calibration of the sensors onboard the same platform, *Advances in Space Research*, **17**: 21-28.

Arai, K. (1999) Preliminary vicarious calibration for EOS-AM1/ASTER with field campaigns, *Advances in Space Research*, **23(8)**: 1449-1457.

Arai, K. (2001) Early results from the vicarious calibration of Terra/ASTER/SWIR, *Advances in Space Research*, **28**: 77-82.

Arai, K., A. Ono, and Y. Yamaguchi (1993) In-flight test site calibration of EOS-AM1/ASTER/TIR with MODIS, *Advances in Space Research*, **14**: 227-230.

Arai, K., and K.J. Thome (2000) An error budget analysis of the vicarious calibration for visible to near infrared radiometers onboard satellites based on the reflectance based method, *Journal of Japan Society for Photogrammetry and Remote Sensing*, **39**: 99-105.

Arai, K., K.J. Thome, S. Tsuchida, T. Takashima, Y. Kawata, S. Machida, and H. Tonooka (2000) Field experiment in Tsukuba test site for ASTER vicarious calibration (visible to near-infrared and shortwave infrared radiometers, *Journal of Remote Sensing Society of Japan*, **20**: 55-62.

Arthur, S.T., and T.N. Carlson (1997) New perspectives on land use/land cover analysis and urbanization, *The Pennsylvania Planner*, **79(April/May)**: 1-2.

Arthur, S.T., T.N. Carlson, and D.A.J. Ripley (2000) Land use dynamics of Chester County, Pennsylvania, from a satellite remote sensing perspective, *Geocarto International*, **15**: 25-34.

Barton, I.J., P.J. Minnett, K.A. Maillet, C.J. Donlon, S.J. Hook, A.T. Jessup, and T.J. Nightingale (2002) The Miami 2001 infrared radiometer calibration and intercomparison: 2. Ship board results, *Journal of Atmospheric and Oceanic Technology*, **submitted**.

Biggar, S.F., P.N. Slater, and D.I. Gellman (1993) Uncertainties in the inflight calibration of sensors with reference to measured ground sites in the 0.4 to 1.1 μm

range, *Remote Sensing of Environment*, **4**: 25.

Bishop, M.P., J. Kargel, H. Kieffer, D.J. MacKinnon, B. Raup, and J.F. Shroder, Jr. (2000) Analysis of glacier processes in high Asia, *Annals of Glaciology*, **31**: 164-170.

Brown, S.W., B.C. Johnson, H.W. Yoon, J.J. Butler, R.A. Barnes, S. Biggar, P. Spyak, K. Thome, E. Zalewski, M. Helmlinger, C. Bruegge, S. Schiller, G. Fedosejevs, R. Gauthier, S. Tsuchida, and S. Machida (2001) Radiometric characterization of field radiometers in support of the 1997 Lunar Lake, Nevada experiment to determine surface reflectance and top-of-atmosphere radiance, *Remote Sensing of Environment*, **77**: 367-376.

Butler, J.J., S.W. Brown, R.D. Saunders, B.C. Johnson, S.F. Biggar, E.F. Zalewski, B.L. Markham, P.N. Gracey, J.B. Young, and R.A. Barnes (2003) Radiometric measurement comparison on the integrating sphere source used to calibrate the Moderate Resolution Imaging Spectroradiometer (MODIS) and the Landsat 7 Enhanced Thematic Mapper Plus (ETM+), *Journal of Research of the National Institute of Standards and Technology*, **108(3)**: 199-228.

Byrnes, J.M., M.S. Ramsey, and D.A. Crown (2001) Emplacement of basaltic flow fields: New insights using MODIS/ASTER airborne simulator (MASTER) data, *EOS, Transactions of American Geophysical Union*, **82(47)**: F1356.

Byrnes, J.M., M.S. Ramsey, and D.A. Crown (2003) Emplacement of the Mauna Ulu flow field, Kilauea Volcano, Hawaii: New insights from ASTER and the MASTER airborne simulator, *Journal of Volcanology and Geothermal Research*, **in review**.

Cahill, A.T., M.B. Parlange, T.J. Jackson, P. O'Neill, and T. Schmugge (1999) Evaporation from nonvegetated surfaces: Surface aridity methods and passive microwave remote sensing, *Journal of Applied Meteorology*, **38**: 1346-1351.

Capehart, W.J., and T.N. Carlson (1997) Decoupling of surface and near surface soil water content: a remote sensing perspective, *Water Resources Research*, **33**: 1383-1395.

Carlson, T.N., and S.T. Arthur (2000) The impact of land use - land cover changes due to urbanization on surface microclimate and hydrology: A satellite perspective, *Global and Planetary Change*, **25**: 49-65.

Carlson, T.N., and A. Sanchez-Azofeifa (2000) Satellite remote sensing of land use and surface microclimate changes in San Jose, Costa Rica, *Remote Sensing of Environment*, **70**: 247-256.

Chopping, M., A. Rango, K. Havstad, F. Schiebe, J. Ritchie, T. Schmugge, A. French, L. McKee, and M. Davis (2003) Determination of physiognomies of Chihuahuan Desert grasslands and transition communities from a single wavelength multiangular imagery, *Remote Sensing of Environment*, **85(3)**: 339-354.

Chopping, M.J., A. Rango, K.M. Havstad, F.R. Schiebe, J.C. Ritchie, T.J. Schmugge, A.N. French, L.H. Su, L. McKee, and M.R. Davis (2003) Canopy attributes of desert grassland and transition communities derived from multiangular airborne imagery, *Remote Sensing of Environment*, **85(3)**: 339-354.

Corradini, S., S. Pugnaghi, S. Teggi, M.F. Buongiorno, and M.P. Bogliolo (2003) Will ASTER see the Etna SO₂ plume?, *International Journal of Remote Sensing*, **24(6)**: 1207-1218.

Crowley, J.K., and S.J. Hook (1996) Mapping playa evaporite minerals and associated sediments in Death Valley, California, with multispectral thermal infrared images, *Journal of Geophysical Research-Solid Earth*, **101(B1)**: 643-660.

Crowley, J.K., and S.J. Hook (1996) Thermal Infrared Multispectral Scanner (TIMS) study of playa evaporite minerals in Death Valley, California, *Journal of Geophysical Research*, **101**: 643-660.

Crown, D.A., J.M. Byrnes, and M.S. Ramsey (2001) Mapping compound lava flow fields on planetary surfaces, *EOS, Transactions of American Geophysical Union*, **82(47)**.

Dash, P., F.M. Gottsche, F.S. Olesen, and H. Fischer (2002) Land surface temperature and emissivity estimation from passive sensor data: theory and practice-current trends, *International Journal of Remote Sensing*, **23(13)**: 2563-2594.

Edgett, K.S., P.R. Christensen, and M.S. Ramsey (1994) Monitoring aeolian dune dynamics using multispectral thermal infrared observations: Preparing for the Earth Observing System's Advanced Spaceborne Thermal Emission and Reflectance Radiometer, *Desert Research Institute Occasional Paper*, **2**: 29-31.

Ellis, J. (1999) NASA satellite systems for the nonrenewable resource sector, *EOM The Magazine For Geographic, Mapping, Earth Information*, **8(3)**: 46-48.

French, A.N., T.J. Schmugge, and W.P. Kustas (2000) Discrimination of senescent vegetation using thermal emissivity contrast, *Remote Sensing of Environment*, **74(2)**: 249-254.

French, A.N., T.J. Schmugge, and W.P. Kustas (2000) Estimating surface fluxes over the SGP site with remotely sensed data, *Physics and Chemistry of the Earth*, **25(2)**: 167-172.

French, A.N., T.J. Schmugge, and W.P. Kustas (2002) Estimating evapotranspiration over El Reno Oklahoma with ASTER imagery, *Agronomie: Agriculture and Environment*, **2**: 105-106.

French, A.N., T.J. Schmugge, W.P. Kustas, K.L. Brubaker, and J.H. Prueger (2003) Surface energy fluxes over El Reno, Oklahoma using high resolution remotely sensed data, *Water Resources Research*, **39(6)**: 1164.

Fujisada, H. (1998) ASTER Level-1 data processing algorithm (Advanced Spaceborne Thermal Emission and Reflection Radiometer, *IEEE Transactions on Geoscience and Remote Sensing*, **36(4)**: 1101-1112.

Fujisada, H., and A. Ono (1992) Preliminary design concept and development targets of Japanese optical sensor for EOS-A, *Advanced Space Research*, **12(7)**: 323-326.

Fujisada, H., F. Sakuma, A. Ono, and M. Kudoh (1998) Design and preflight performance of ASTER instrument protoflight model, *IEEE Transactions on Geoscience and Remote Sensing*, **36(4)**: 1152-1160.

Fukushima, M. (1995) Thermal control system of ASTER, *Transactions, Journal of Aerospace*, **103**: 1668-1678.

Gillespie, A., and D.H. Clark (1995) Potential of ASTER for inferring paleoclimatic conditions, *Journal of the Remote Sensing Society of Japan*, **15(1)**: 39-49.

Gillespie, A., J.S. Cothorn, S. Rokugawa, T. Matsunaga, S.J. Hook, and A.B. Kahle (1998) A temperature and emissivity separation algorithm for Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER) images, *IEEE Transactions on Geoscience and Remote Sensing*, **36(4)**: 1113-1126.

Gillespie, A.R., J.B. Adams, M.O. Smith, D. Gu, D.E. Sabol, and J.H. Zukin (1995) Forest mapping potential of ASTER, *Journal of the Remote Sensing Society of Japan*, **15(1)**: 62-71.

Gillies, R.R., J. Cui, T.N. Carlson, W.P. Kustas, and K.S. Humes (1997) Verification of the "triangle" method for obtaining surface soil water content and energy fluxes from remote measurements of NDVI and surface radiant temperature, *International Journal of Remote Sensing*, **18**: 3145-3166.

Goodrich, D.C., A. Chehbouni, B. Goff, B. MacNish, T. Maddock, S. Moran, W.J. Shuttleworth, D.G. Williams, C. Watts, L.H. Hipps, D.I. Cooper, J. Schieldge, Y.H. Kerr, H. Arias, M. Kirkland, R. Carlos, P. Cayrol, W. Kepner, B. Jones, R. Avissar, A. Begue, J.M. Bonnefond, G. Boulet, B. Branan, J.P. Brunel, L.C. Chen, T. Clarke, M.R. Davis, H. DeBruin, G. Dedieu, E. Elguero, W.E. Eichinger, J. Everitt, J. Garatuza-Payan, V.L. Gempko, H. Gupta, C. Harlow, O. Hartogensis, M. Helfert, C. Holifield, D. Hymer, A. Kahle, T. Keefer, S. Krishnamoorthy, J.P. Lhomme, J.P. Lagourde, D. Lo Seen, D. Luquet, R. Marsett, B. Monteny, W. Ni, Y. Nouvellon, R. Pinker, C. Peters, D. Sabol, J. Qi, S. Rambal, J. Rodriguez, F. Santiago, E. Sano, S.M. Schaeffer, M. Schulte, R. Scott, X. Shao, K.A. Snyder, S. Sorooshian, C.L. Unkrich, M. Whitaker, and I. Yucel (2000) Preface paper to the Semiarid Land-Surface-Atmosphere (SALSA) program special issue, *Agricultural and Forest Meteorology*, **105**: 3-20.

Gu, D., A.R. Gillespie, A.B. Kahle, and F.D. Palluconi (2000) Autonomous atmospheric compensation (AAC) of high resolution hyperspectral thermal infrared remote-sensing imagery, *IEEE Transactions on Geoscience and Remote Sensing*, **38(6)**: 2557-2570.

Havstad, K.M., W.P. Kustas, A. Rango, J. Ritchie, and T.J. Schmugge (2000) Jornada Experimental Range: A unique location for remote sensing experiments to validate EOS satellite systems and to understand the effects of climate change in arid environments, *Remote Sensing of Environment*, **74(1)**: 13-23.

Hebble, E.E., T.N. Carlson, and K. Daniel (2002) Impervious surface area and housing density: A satellite perspective, *Geocarto International*, **in press**.

Hellman, M.J., and M.S. Ramsey (2001) Analysis of hot springs in Yellowstone National Park using ASTER and AVIRIS remote sensing, *EOS, Transactions of American Geophysical Union*, **82(47)**: F1360.

Hellman, M.J., and M.S. Ramsey (2003) Analysis of hot springs in Yellowstone National Park using ASTER and AVIRIS remote sensing, *Journal of Volcanology and Geothermal Research*, **in review**.

Hobish, M.K., P.E. Ardanuy, and V.V. Salomonson (1994) Surface imaging technologies for NASA's Earth Observing, *Journal of Imaging Science Technology*, **38(4)**: 301-310.

Hook, S.J., R.E. Alley, and M.N. Orton (2002) WINVICAR - A Windows based image analysis software package suitable for manipulating EOS data, *EOS, Transactions of American Geophysical Union*, **83(47)**.

Hook, S.J., J.E. Dmochowski, K.A. Howard, L.C. Rowan, and K.E. Karlstrom (2003) Mapping weight percent silica variation from remotely acquired multispectral thermal infrared data with examples from the Hiller Mountains, Nevada, USA and Tres Virgenes-La Reforma, Baja California Sur, Mexico, *Journal of Geophysical Research*, **submitted**.

Hook, S.J., and A.B. Kahle (1996) The micro Fourier transform interferometer (μ FTIR) - A new field spectrometer for acquisition of infrared data of natural surfaces, *Remote Sensing of Environment*, **56(3)**: 172-181.

Hook, S.J., A.B. Kahle, T.J. Cudahy, and L.B. Whitbourn (1998) Synergy of active and passive airborne thermal infrared systems for surface compositional mapping, *Journal of Geophysical Research*, **103(B8)**: 269-218.

Hook, S.J., J.J. Myers, K.J. Thome, M. Fitzgerald, and A.B. Kahle (2001) The MODIS/ASTER airborne simulator (MASTER) - A new instrument for Earth science studies, *Remote Sensing of Environment*, **76(1)**: 93-102.

Hook, S.J., F.J. Prata, R.E. Alley, A. Abtahi, R.C. Richards, S.G. Schladow, and S.Ó. Pálmarsson (2003) Retrieval of lake bulk- and skin-temperatures using along track scanning radiometer (ATSR) data: A case study using Lake Tahoe, CA, *Journal of Atmospheric and Oceanic Technology*, **20(4)**: 534-548.

Hsieh, C., G. Katul, J. Schieldge, J. Simon, and K. Knoerr (1996) The Lagrangian

stochastic model for fetch and latent heat flux estimation above uniform and nonuniform terrain, *Water Resources Research*, **33(3)**: 427.

Hsieh, C.I., G.G. Katul, J. Schieldge, J. Sigmon, and K.R. Knoerr (1996) Estimation of momentum and heat fluxes using dissipation and flux-variance methods in the unstable surface layer, *Water Resources Research*, **32(8)**: 2453-2462.

Jacob, F., F. Petitcolin, T.J. Schmugge, E. Vermote, A.N. French, and K. Ogawa (2002) Comparison of land surface emissivity and radiometric temperature derived from MODIS and ASTER sensors, *Remote Sensing of Environment*, **submitted**.

Justice, C.O., L. Giglio, S. Korontzi, J. Owens, J.T. Morisette, D. Roy, J. Descloitres, S. Alleaume, F. Petitcolin, and Y. Kaufman (2002) The MODIS fire products: The Moderate Resolution Imaging Spectroradiometer (MODIS): A new generation of land surface monitoring, *Remote Sensing of Environment*: 244-262.

Kääb, A. (2002) Monitoring high-mountain terrain deformation from repeated air- and spaceborne optical data: examples using digital aerial imagery and ASTER data, *Journal of Photogrammetry and Remote Sensing*, **57(1-2)**: 39-52.

Kahle, A., R. Wessels, W. Haeberli, C. Huggel, J.S. Kargel, S. Jodha, and S. Khalsa (2003) Rapid ASTER imaging facilitates timely assessment of glacier hazards and disasters, *EOS, Transactions of American Geophysical Union*: 117-121.

Kahle, A.B., and R.E. Alley (1992) Separation of temperature and emittance in remotely sensed radiance measurements, *Remote Sensing of Environment*, **42**: 1-20.

Kahle, A.B., F.D. Palluconi, S.J. Hook, V.J. Realmuto, and G. Bothwell (1991) The Advanced Spaceborne Thermal Emission and Reflectance Radiometer (ASTER), *International Journal of Imaging Systems and Technology*, **3**: 144-156.

Kargel, J.S., and H.H. Kieffer (1995) Opportunity for nearly comprehensive global glacier monitoring with ASTER, *EOS, Transactions of American Geophysical Union*, **76**: F91.

Katul, G., J. Schieldge, C. Hsieh, and B. Vidakovic (1998) Skin temperature perturbations induced by surface layer turbulence above a grass surface, *Water Resources Research*, **34(5)**: 1265-1274.

Kaufman, Y.J., D.D. Herring, K.J. Ranson, and G.J. Collatz (1998) Earth Observing System AM1 mission to Earth, *IEEE Transactions in Geoscience Remote Sensing*, **36(4)**: 1045-1055.

Kieffer, H.H., J.M. Anderson, and K.J. Becker (1999) Radiometric calibration of spacecraft using small lunar images, *SPIE Proceedings*, **3970**: 193-205.

Kieffer, H.H., and J.S. Kargel (2000) New eyes in the sky measure glaciers and ice sheets, *EOS, Transactions of American Geophysical Union*, **81(265)**: 270-271.

Kieffer, H.H., and R.L. Wildey (1996) Establishing the moon as a spectral radiance standard, *Journal of Atmospheric and Oceanic Technology*, **13**(2): 360-375.

Kustas, W., A. French, J. Hatfield, T. Jackson, S. Moran, A. Rango, J. Ritchie, and T. Schmugge (2003) Remote sensing research in hydrometeorology, *Photogrammetric Engineering and Remote Sensing*, **69**(6): 631-646.

Kustas, W.P., and J.M. Norman (2000) Evaluating the effects of subpixel heterogeneity on pixel average fluxes (in satellite remote sensor data), *Remote Sensing of Environment*, **74**(3): 327-342.

Kustas, W.P., J.H. Prueger, K.S. Humes, and P.J. Starks (1999) Estimation of surface heat fluxes at field scale using surface layer versus mixed-layer atmospheric variables with radiometric temperature observations, *Journal of Applied Meteorology*, **38**(2): 224-238.

Kustas, W.P., T.J. Schmugge, and L.E. Hipps (1996) On using mixed-layer transport parameterizations with radiometric surface temperature for computing regional scale sensible heat flux, *Boundary Layer Meteorology*, **80**: 205-221.

Kustas, W.P., X. Zhan, and T.J. Schmugge (1998) Combining optical and microwave remote sensing for mapping energy fluxes in a semiarid watershed, *Remote Sensing of Environment*, **64**: 116-131.

Lang, H.R., and S.M. Baloga (2000) Validating airborne visible-infrared imaging spectrometer data at Ray Mine, Arizona, *Environmental and Engineering Geoscience*, **6**(3): 187-200.

Liang, S. (2001) Narrowband to broadband conversions of land surface albedo. I - Algorithms, *Remote Sensing of Environment*, **76**(2): 213-238.

Liang, S. (2001) An optimization algorithm for separating land surface temperature and emissivity from multispectral thermal infrared imagery, *IEEE Transactions on Geoscience and Remote Sensing*, **39**(2): 264-274.

Logar, A.M., D.E. Lloyd, E.M. Corwin, M.L. Penaloza, R.E. Feind, T.A. Berendes, K.-S. Kuo, and R.M. Welch (1998) The ASTER polar cloud mask, *IEEE Transactions on Geoscience and Remote Sensing*, **36**(4): 1302-1312.

Masahiko, K., O. Nagamitsu, S. Takashi, and M. Fukushima (2003) Heritage of ASTER instrument on orbit performance, *Denshi Joho Tsushin Gakkai Gijutsu Kenkyu Hokoku*: 55-60.

Moran, M.S., R.D. Jackson, T.R. Clarke, J. Qi, F. Cabot, K.J. Thome, and B.L. Markham (1995) Reflectance factor retrieval from Landsat TM and SPOT HRV data for bright and dark targets, *Remote Sensing of Environment*, **52**: 218-230.

Mouginis-Mark, P., S. Rowland, J. Crisp, L. Glaze, K. Jones, A. Kahle, D.C. Pieri, H.

Zebker, A. Krueger, and L. Walter (1991) Analysis of active volcanoes from the Earth Observing System, *Remote Sensing of Environment*, **36**: 1-12.

Nandy, P., K. Thome, and S. Biggar (2001) Characterization and field use of a CCD camera system for retrieval of bidirectional reflectance distribution function, *Journal of Geophysical Research*, **106**: 11957-11966.

Nemani, R., L. Pierce, and S. Running (1993) Developing satellite-derived estimates of surface moisture status, *Journal of Applied Meteorology*, **32**: 548-557.

Nemani, R., L. Pierce, S. Running, and L. Band (1993) Forest ecosystem processes at the watershed scale: Sensitivity to remotely-sensed leaf area index estimates, *International Journal of Remote Sensing*, **14**: 2519-2534.

Netzband, M., and W.L. Stefanov (2003) Assessment of urban spatial variation using ASTER data, *International Archives of the Photogrammetry, Remote Sensing, and Spatial Information Sciences*, **34(7/W9)**: 138-143.

Ninomiya, Y., T. Matsunaga, Y. Yamaguchi, K. Ogawa, S. Rokugawa, K. Uchida, H. Muraoka, and M. Kaku (1997) A comparison of thermal infrared emissivity spectra measured in situ, in the laboratory, and derived from thermal infrared multispectral scanner (TIMS) data in Cuprite, Nevada, USA, *International Journal of Remote Sensing*, **18(7)**: 1571-1581.

Ogawa, K., S. Rokugawa, T. Matsunaga, and Y. Ninomiya (1999) Evaluation of thickness of desert varnish coatings on rock using thermal infrared remote sensing, *Remote Sensing Society of Japan*, **19(1)**: 45-58.

Ogawa, K., T. Schmugge, and F. Jacob (2002) Estimation of land surface window (8-12 mm) emissivity from multispectral thermal infrared remote sensing - a case study in a part of Sahara Desert, *EOS, Transactions of American Geophysical Union*, **83(47)**.

Ogawa, K., and T.J. Schmugge (2004) Mapping surface broadband emissivity of Sahara desert using ASTER and MODIS data, *Earth Interactions*, **submitted**.

Ogawa, K., T.J. Schmugge, and F. Jacob (2003) Estimation of land surface window (8-12 micrometer) emissivity from multispectral thermal infrared remote sensing - a case study in a part of Sahara Desert, *Geophysical Research Letters*, **30(2)**: 1067.

Ogawa, K., T.J. Schmugge, F. Jacob, and A.N. French (2002) Estimation of broadband land surface emissivity from multispectral thermal infrared remote sensing, *Agronomie: Agriculture Environment*, **22(6)**: 695-696.

O'Neill, M.A., and I.J. Dowman (1993) A simulation study of the ASTER sensor using a versatile general purpose rigid sensor modelling system (Advanced Spaceborne Thermal Emission and Reflection Radiometer), *International Journal of Remote Sensing*, **14(3)**: 565-582.

Ono, A., F. Sakuma, K. Arai, Y. Yamaguchi, H. Fujisada, P.N. Slater, K.J. Thome, F. Palluconi, and H. Kieffer (1996) Preflight and inflight calibration plan for ASTER, *Bulletin of NRLM*, **45**: 376-386.

Ono, A., F. Sakuma, K. Arai, Y. Yamaguchi, H. Fujisada, P.N. Slater, K.J. Thome, F.D. Palluconi, and H.H. Kieffer (1996) Preflight and inflight calibration plan for ASTER, *Journal of Atmospheric and Oceanic Technology*, **13(2)**: 321-335.

Oppenheimer, C. (1996) Crater lake heat losses estimated by remote sensing, *Geophysical Research Letters*, **23(14)**: 1793-1796.

Oppenheimer, C. (1997) Remote sensing of the colour and temperature of volcanic lakes, *International Journal of Remote Sensing*, **18(1)**: 5-37.

Ottle, C., and M. Stoll (1993) Effect of atmospheric absorption and surface emissivity on the determination of land surface temperature from infrared satellite data, *International Journal of Remote Sensing*, **14**: 2025-2037.

Pelgrum, H., T. Schmugge, A. Rango, J. Ritchie, and B. Kustas (1999) Length scale analysis of surface albedo, temperature and NDVI in a desert grassland, *Water Resources Research*, **36(7)**: 1757-1765.

Pieri, D.C., J. Crisp, and A.B. Kahle (1995) Observing volcanism and other transient phenomena with ASTER, *Journal of the Remote Sensing Society of Japan*, **15(2)**: 56-61.

Pieri, D.C., A.P. Khrenov, T.P. Miller, S.E. Zharinov, V. Realmuto, M. Abrams, L.S. Glaze, A.B. Kahle, V. Drozhnin, V. Dvigalo, V. Kirianov, E. Abbott, and S. Chernobieff (1997) Joint effort results in first TIMS survey of Kamchatka volcanoes, *EOS, Transactions of American Geophysical Union*, **78(12)**: 1.

Privette, J.L., G.P. Asner, J. Conel, K.F. Huemmrich, R. Olson, A. Rango, A.F. Rahman, K. Thome, and E.A. Walter-Shea (2000) The EOS Prototype Validation Exercise (PROVE) at Jornada: overview and lessons learned, *Remote Sensing of Environment*, **74**: 1-12.

Quigley, M.C., S.J. Hook, and K.E. Karlstrom (2002) Detailed structural and tectonic studies utilizing MASTER remote sensing imagery: A case study from the North Virgin Mountains, southeast Nevada and northwest Arizona, *Journal of Geophysical Research*, **accepted**.

Ramsey, M.S. (2000) Mapping the city landscape from space: The Advanced Spaceborne Thermal Emission and Reflectance Radiometer (ASTER) urban environmental monitoring program, *EOS, Transactions of American Geophysical Union*, **81(19)**: S11.

Ramsey, M.S. (2002) Ejecta distribution patterns at Meteor Crater, Arizona: On the applicability of lithologic end-member deconvolution for spaceborne thermal infrared

data of Earth and Mars, *Journal of Geophysical Research, Planets, accepted for publication.*

Ramsey, M.S. (2003) Ejecta distribution patterns at Meteor Crater, Arizona: On the applicability of lithologic end-member deconvolution for spaceborne thermal infrared data of Earth and Mars, *Journal of Geophysical Research, 107(E8)*.

Ramsey, M.S., and J.R. Arrowsmith (2000) Mitigating future fire and flood hazards in arid urban regions: Initial analysis of brush fire scars with the new ASTER instrument, *EOS, Transactions of American Geophysical Union, 81(48)*: F549.

Ramsey, M.S., and J.R. Arrowsmith (2001) New images of fire scars may help to mitigate future natural hazards, *EOS, Transactions of American Geophysical Union, 82(36)*: 393-398.

Ramsey, M.S., and P.R. Christensen (1998) Mineral abundance determination: Quantitative deconvolution of thermal emission spectra, *Journal of Geophysical Research, 103*: 577-596.

Ramsey, M.S., P.R. Christensen, N. Lancaster, and D.A. Howard (1999) Identification of sand sources and transport pathways at the Kelso Dunes, California using thermal infrared remote sensing, *Geological Society of America Bulletin, 111*: 646-662.

Ramsey, M.S., and J. Dehn (2001) The first year of volcanic data from ASTER: Case studies of Bezymianny and Sheveluch Volcanoes, Kamchatka, *EOS, Transactions of American Geophysical Union, 82(47)*: F1354.

Ramsey, M.S., and J. Dehn (2002) Spaceborne observations of the 2000 eruption of Bezymianny Volcano, Kamchatka: A comparison of new results from ASTER to real-time monitoring using AVHRR, *Journal of Volcanology and Geothermal Research, in preparation.*

Ramsey, M.S., and J. Dehn (2003) Spaceborne observations of the 2000 Bezymianny, Kamchatka eruption: The integration of high-resolution ASTER data into near real-time monitoring using AVHRR, *Journal of Volcanology and Geothermal Research, in review.*

Ramsey, M.S., and J.H. Fink (1994) Remote monitoring of volcanic domes: Detection of chemical, textural, and thermal heterogeneities, *EOS, Transactions of American Geophysical Union, 75(46)*: F716.

Ramsey, M.S., and J.H. Fink (1996) Estimating lava vesicularity: A new technique using thermal infrared remote sensing data, *EOS, Transactions of American Geophysical Union, 77(46)*: F803.

Ramsey, M.S., and J.H. Fink (1997) Mapping vesicularity of Hawaiian lava flows via thermal infrared remote sensing, *EOS, Transactions of American Geophysical Union, 78(46)*: F777.

Ramsey, M.S., and J.H. Fink (1997) Remote determination of lava vesicularity: Technique preparation for the upcoming spaceborne ASTER instrument, *Geological Society of America Cordilleran Section Abstracts with Programs*, **29(5)**: A58.

Ramsey, M.S., and J.H. Fink (1999) Estimating silicic lava vesicularity with thermal remote sensing: A new technique for volcanic mapping and monitoring, *Bulletin of Volcanology*, **61**: 32-39.

Ramsey, M.S., and J.H. Fink (2003) Mapping compositional variations on obsidian flows: TIMS analysis of Big Glass Mountain, California, *Journal of Volcanology and Geothermal Research*, **in preparation**.

Ramsey, M.S., J.H. Fink, R. Wessels, M. Poland, and S. Ruff (1998) Field spectroscopy and GPS analysis of silicic domes: Implications for future volcanic monitoring with the spaceborne ASTER instrument, *EOS, Transactions of American Geophysical Union*, **79(45)**: F1010.

Ramsey, M.S., and L.P. Flynn (2003) Strategies, insights, and the recent advances in volcanic monitoring and mapping with data from the Earth Observing System, *Journal of Volcanology and Geothermal Research*, **in review**.

Ramsey, M.S., A.J.L. Harris, J. Dehn, and D. Pirie (2001) Thermal anomaly monitoring of the ongoing eruptions at Soufriere Hills Volcano, Montserrat and Bezymianny Volcano, Kamchatka: First results from the new ASTER instrument, *EOS, Transactions of American Geophysical Union*, **81(20)**.

Ramsey, M.S., and N. Lancaster (1998) Using remote sensing to derive sediment mixing patterns in arid environments: Future global possibilities with the ASTER instrument, *Geological Society of America Abstracts With Programs*, **30(7)**: A360.

Ramsey, M.S., R. Wessels, and C. Eisinger (1999) Accurate mapping and monitoring of silicic domes using thermal infrared and radar remote sensing: Implications of lava texture and surface roughness, *EOS, Transactions of American Geophysical Union*, **80(46)**: F1145.

Rango, A., M. Chopping, J. Ritchie, K. Havstad, W. Kustas, and T. Schmugge (2000) Morphological characteristics of shrub-coppice dunes in desert grasslands of southern New Mexico, *Remote Sensing of Environment*, **74(1)**: 26-44.

Raup, B.H., H.H. Kieffer, T.M. Hare, and J.S. Kargel (2000) Generation of data acquisition requests for the ASTER satellite instrument for monitoring a globally distributed target - Glaciers, *IEEE Transactions on Geoscience and Remote Sensing*, **38(2)**: 1105-1112.

Realmuto, V.J., A.J. Sutton, and T. Elias (1997) Multispectral thermal infrared mapping of sulfur dioxide plumes: A case study from the East Rift Zone of Kilauea Volcano, Hawaii, *Journal of Geophysical Research-Solid Earth*, **102(B7)**: 15057-15072.

Rice, J.P., J.J. Butler, B.C. Johnson, P.J. Minnett, K. Maillet, A. Nightingale, S.J. Hook, A. Abtahi, C.J. Donlon, and I.J. Barton (2002) The Miami 2001 infrared radiometer calibration and intercomparison: 1. Laboratory characterization of blackbody targets, *Journal of Atmospheric and Oceanic Technology*, **submitted**.

Rojas, F., R.A. Schowengerdt, and S.F. Biggar (2002) Early results on the characterization of the terra MODIS spatial response: The Moderate Resolution Imaging Spectroradiometer (MODIS): A new generation of land surface monitoring, *Remote Sensing of Environment*: 50-61.

Rokugawa, S. (1993) Influences of atmospheric correction error and its reduction method in temperature and emissivity separation (in Japanese with English abstract), *Journal of the Remote Sensing Society of Japan*, **13**: 229-239.

Rokugawa, S., T. Matsunaga, H. Tsu, H. Tonooka, Y. Kannari, and K. Okada (1999) Temperature and emissivity separation from ASTER on EOS AM-1 - Preflight validation by ASTER airborne simulator, *Advances in Space Research*, **23(8)**: 1463-1469.

Rowan, L., S. Hook, M. Abrams, and J. Mars (2003) Mapping hydrothermally altered rocks at Cuprite, Nevada using the Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER), a new satellite imaging system, *Economic Geology and the Bulletin of the Society of Economic Geologists*, **in press**.

Rowan, L.C. (1998) Analysis of simulated Advanced Spaceborne Thermal Emission and Reflection (ASTER) radiometer data of the Iron Hill, Colorado, study area for mapping lithologies, *Journal of Geophysical Research*, **103(D24)**: 291-232.

Rowan, L.C., T.L. Bowers, J.K. Crowley, C. Anton-Pacheco, P. Gumieli, and M.J. Kingston (1996) Analysis of airborne visible-infrared imaging spectrometer (AVIRIS) data of the Iron Hill, Colorado, carbonatite-alkalic igneous complex, *Economic Geology and the Bulletin of the Society of Economic Geologists*, **90**: 1966-1982.

Rowan, L.C., S.J. Hook, M.J. Abrams, and J.C. Mars (2003) Mapping hydrothermally altered rocks at Cuprite, Nevada, using the Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER), a new satellite-imaging system, *Economic Geology and the Bulletin of the Society of Economic Geologists*, **98(5)**: 1019-1027.

Ryu, J.H., J.S. Won, and K.D. Min (2002) Waterline extraction from Landsat TM data in a tidal flat - A case study in Gomso Bay, Korea, *Remote Sensing of Environment*, **83(3)**: 442-456.

S. Moran, G. Fitzgerald, A. Rango, C. Walthall, E. Barnes, W. Bausch, T. Clarke, C. Daughtry, J. Everitt, J. Hatfield, K. Havstad, T. Jackson, N. Kitchen, W. Kustas, M. McGuire, P. Pinter, K. Sudduth, J. Schepers, T. Schmugge, P. Starks, and D. Upchurch (2003) Sensor development and radiometric correction for agricultural applications, *Photogrammetric Engineering and Remote Sensing*, **69(6)**: 705-718.

Sakuma, F. (1999) Preflight cross-calibration activities at NRLM, *Advances in Space*

Research, **23(8)**: 1435-1442.

Sakuma, F., and A. Ono (1993) Radiometric calibration of the EOS ASTER instrument, *Metrologia*, **30**: 231-241.

Salisbury, J.W., and D.M. D'Aria (1992) Emissivity of terrestrial materials in the 8-14 μm atmospheric window, *Remote Sensing of Environment*, **42**: 83-106.

Salisbury, J.W., and D.M. D'Aria (1992) Infrared (8-14 microns) remote sensing of soil particle size, *Remote Sensing of Environment*, **42(2)**: 157-165.

Salisbury, J.W., D.M. D'Aria, and F.F. Sabins (1993) Thermal infrared remote sensing of crude oil slicks, *Remote Sensing of Environment*, **45**: 225-231.

Salisbury, J.W., D.M. D'Aria, and A. Wald (1994) Measurements of thermal infrared spectral reflectance of frost, snow, and ice, *Journal of Geophysical Research*, **99(B12)**: 24235-24240.

Schmid, B., K. Thome, P. Demoulin, R. Peter, C. Mätzler, and J. Sekler (1996) Comparison of modeled and empirical approaches for retrieving columnar water vapor from solar transmittance measurements in the 0.94-m region, *Journal of Geophysical Research*, **101**: 9345-9358.

Schmugge, T., A. French, J.C. Ritchie, A. Rango, and H. Pelgrum (2002) Temperature and emissivity separation from multispectral thermal infrared observations, *Remote Sensing of Environment*, **79(2-3)**: 189-198.

Schmugge, T., S.J. Hook, and C. Coll (1998) Recovering surface temperature and emissivity from thermal infrared multispectral data, *Remote Sensing of Environment*, **65(2)**: 121-131.

Schmugge, T., and K. Humes (1995) ASTER observations for the monitoring of land surface fluxes, *Journal of Remote Sensing Society of Japan*, **15(2)**: 83-89.

Schmugge, T., W. Kustas, J. Ritchie, T. Jackson, and A. Rango (2002) Remote sensing in hydrology, *Advances in Water Resources*, **25**: 1367-1385.

Schmugge, T.J., and W.P. Kustas (1999) Radiometry at infrared wavelengths for agricultural applications, *Agronomie: Agriculture and Environment*, **19**: 83-96.

Schmugge, T.J., W.P. Kustas, and K.C. Humes (1998) Monitoring land surface fluxes using ASTER observations, *IEEE Transactions on Geoscience and Remote Sensing*, **36(5)**: 1421-1430.

Schmugge, T.J., K. Ogawa, F. Jacob, and A. French (2002) Quantitative estimates of land surface emissivity using ASTER data, *EOS, Transactions of American Geophysical Union*, **83(47)**: 62B-06.

Schmugge, T.J., and G.M. Schmidt (1998) Surface temperature observations from AVHRR in FIFE, *Journal of Atmospheric Sciences*, **55**(7): 1239-1246.

Sicard, M., K.J. Thome, B.G. Crowther, and M.W. Smith (1998) Shortwave infrared spectroradiometer for atmospheric transmittance measurements, *Journal of Atmospheric and Oceanic Technology*, **15**: 174-183.

Slater, P.N. (1991) Future European and Japanese remote sensing sensors and programs, *Proceedings of the Meeting*.

Slater, P.N., and S.F. Biggar (1996) Suggestions for radiometric calibration coefficient generation, *Journal of Atmospheric and Oceanic Technology*, **13**: 376-382.

Slater, P.N., S.F. Biggar, J.M. Palmer, and K.J. Thome (2001) Unified approach to absolute radiometric calibration in the solar-reflective range, *Remote Sensing of Environment*, **77**: 293-303.

Slater, P.N., S.F. Biggar, K.J. Thome, D.I. Gellman, and P.R. Spyak (1996) Vicarious radiometric calibrations of EOS sensors, *Journal of Atmospheric and Oceanic Technology*, **3**(2): 349-359.

Slater, P.N., K.J. Thome, K. Arai, H. Fujisada, H.H. Kieffer, A. Ono, F. Sakuma, F.D. Palluconi, and Y. Yamaguchi (1995) Radiometric calibration of ASTER data, *Japanese Journal of Remote Sensing*, **15**(2): 16-23.

Smith, C.B., M.N. Lakhtakia, W.J. Capehart, and T.N. Carlson (1994) Initialization of soil-water content in regional-scale atmospheric prediction models, *Bulletin of the American Meteorological Society*, **75**(4): 585-593.

Smith, J.A., N.S. Chauhan, T.J. Schmugge, and J. Ballard (1997) Remote sensing of land surface temperature: The directional viewing effect, *IEEE Transactions on Geoscience and Remote Sensing*, **37**: 972-974.

Smith, M.W., and S.F. Biggar (1994) Calibration and performance evaluation of a portable shortwave infrared (1.05 to 2.45 μm), *Optical Engineering*, **33**(11): 3471-3792.

Spyak, P.R., D.S. Smith, J. Thiry, and C. Burkhart (2000) Shortwave infrared transfer radiometer for the calibration of the Moderate-Resolution Imaging Spectrometer and the Advanced Spaceborne Thermal Emission and Reflection Radiometer, *Applied Optics*, **39**(31): 5694-5706.

Stefanov, W.L. (2002) Assessment of landscape fragmentation associated with urban centers using ASTER data, *EOS, Transactions of American Geophysical Union*, **83**(47).

Stefanov, W.L. (2003) Remote sensing of urban ecology at the Central Arizona-Phoenix Long Term Ecological Research site, *Arid Lands Newsletter* 51 (<http://ag.arizona.edu/OALS/ALN/aln51/stefanov.html>).

Stefanov, W.L., and M.T. Applegarth (2001) Geomorphic analysis of semiarid landforms using mid-infrared spectroscopy and remote sensing, *EOS, Transactions of American Geophysical Union*, **82(47)**.

Stefanov, W.L., P.R. Christensen, and M.S. Ramsey (2001) Monitoring urban land cover change - An expert system approach to land cover classification of semiarid to arid urban centers, *Remote Sensing of Environment*, **77(2)**: 173-185.

Stefanov, W.L., P.R. Christensen, and M.S. Ramsey (2003) Mineralogical analysis of soils using linear deconvolution of mid-infrared emission spectra, *Journal of Geophysical Research*, **in preparation**.

Stefanov, W.L., M.S. Ramsey, and P.R. Christensen (2001) Monitoring the urban environment: An expert system approach to land cover classification of semiarid to arid urban centers, *Remote Sensing of Environment*, **77(2)**: 173-185.

Stefanov, W.L., M.S. Ramsey, and P.R. Christensen (2001) Fugitive dust generation, transport, and deposition in the Nogales, Arizona region using enhanced Thematic Mapper Plus (ETM+) data, *EOS, Transactions of American Geophysical Union*, **81(20)**.

Stefanov, W.L., M.S. Ramsey, and P.R. Christensen (2003) Identification of fugitive dust generation, transport, and deposition areas using remote sensing, *Environmental and Engineering Geoscience*, **9(2)**: 151-165.

Stefanov, W.L., J.A. Robinson, and S.A. Spraggins (2003) Vegetation measurements from digital astronaut photography, *International Archives of the Photogrammetry, Remote Sensing, and Spatial Information Sciences*, **34(7/W9)**: 185-189.

Su, Z., T. Schmugge, W.P. Kustas, and W.J. Massman (2001) An evaluation of two models for estimation of the roughness height for heat transfer between the land surface and the atmosphere, *Journal of Applied Meteorology*, **40(11)**: 1933-1951.

Takashima, T., K. Masuda, I. Sano, and S. Mukai (2001) Atmospheric correction for the ASTER visible data on Terra satellite, *Advances in Space Research*, **28(1)**: 177-182.

Takeuchi Wataru Yasuoka, Y., and S. Ochi (2003) Accuracy assessment of geometric correction with Terra ASTER, *Shashin Sokuryo to Rimoto Senshingu*: 38-41.

Teillet, P.M., G. Fedosejevs, R.P. Gauthier, N.T. O'Neill, K.J. Thome, S.F. Biggar, H. Ripley, and A. Meygret (2001) A generalized approach to the vicarious calibration of multiple Earth observation sensors using hyperspectral data, *Remote Sensing of Environment*, **77**: 304-327.

Thome, K., F. Palluconi, T. Takashima, and K. Masuda (1998) Atmospheric correction of ASTER, *IEEE Transactions on Geoscience and Remote Sensing*, **36(4)**: 1199-1211.

Thome, K., S. Schiller, J. Conel, K. Arai, and S. Tsuchida (1998) Results of the 1996

Earth Observing System vicarious calibration campaign at Lunar Lake Playa, Nevada (USA), *Metrologia*, **35**: 631-638.

Thome, K., P. Slater, K. Arai, S. Hook, H. Lang, F. Palluconi, H. Kieffer, T. Matsunaga, A. Ono, and H. Sakuma (1998) ASTER preflight and inflight calibration and the validation of Level 2 products, *IEEE Transactions on Geoscience and Remote Sensing*, **36(4)**: 1161-1172.

Thome, K.J., and P. Nandy (2000) Accuracy of ground-reference calibration of imaging spectroradiometers at large sensor view angles, *Journal of Remote Sensing Society of Japan*, **20**: 112-124.

Thome, K.J., M.W. Smith, J.M. Palmer, and J.A. Reagan (1994) Three-channel solar radiometer for the determination of atmospheric columnar water vapor, *Applied Optics*, **33(24)**: 5811-5819.

Tonooka, H. (2001) An atmospheric correction algorithm for thermal infrared multispectral data over land - A water-vapor scaling method, *IEEE Transactions on Geoscience and Remote Sensing*, **39(3)**: 682-692.

Toutin, T. (2002) Three-dimensional topographic mapping with ASTER stereo data in rugged topography, *IEEE Transactions on Geoscience and Remote Sensing*, **40(10)**: 2241-2247.

Toutin, T., and P. Cheng (2002) Comparison of automated digital elevation model extraction results using along-track ASTER and across-track SPOT stereo images, *Optical Engineering*, **41(9)**: 2102-2106.

Tovinkere, V.R., M. Penalosa, A. Logar, J. Lee, R.C. Weger, T.A. Berendes, and R.M. Welch (1993) An intercomparison of artificial intelligence approaches for polar scene identification, *Journal of Geophysical Research*, **98(D3)**: 5001-5016.

Vaughan, R.G., W.M. Calvin, and S.J. Hook (2002) Thermal infrared surface mineral mapping at Steamboat Springs, Nevada: Comparison of airborne and field spectral measurements, *EOS, Transactions of American Geophysical Union*, **83**: 47.

Vaughan, R.G., S.J. Hook, W.M. Calvin, and J.V. Taranik (2003) Surface mineral detection with thermal infrared image data, *Journal of Geophysical Research*, **in press**.

Welch, R., T. Jordan, H. Lang, and H. Murakami (1998) ASTER as a source for topographic data in the late 1990's, *IEEE Transactions on Geoscience and Remote Sensing*, **36(4)**: 1282-1289.

Welch, R., H.R. Lang, A.B. Kahle, and H. Tsu (1993) The Advanced Spaceborne Thermal Emission and Reflectance Radiometer (ASTER) stereo subsystem: A source of digital elevation models (DEMS) for Earth science research, *EOS, Transactions of American Geophysical Union*, **74(16 supplement)**: 194.

Wessels, R., and M.S. Ramsey (2000) Multisensor/multiwavelength data fusion over steep volcanic terrain: Analysis challenges in the next era of remote sensing, *EOS, Transactions of American Geophysical Union*, **81(48)**: F1255.

Wessels, R.L., J.S. Kargel, and H.H. Kieffer (2001) Remotely measuring glacial features using ASTER and Landsat ETM+, *EOS, Transactions of American Geophysical Union*, **82(Supplement)**: F542.

Wessels, R.L., J.S. Kargel, and H.H. Kieffer (2002) ASTER measurement of supraglacial lakes in the Mount Everest region of the Himalaya, *Annals of Glaciology*, **34**: 399-408.

Wessels, R.L., and M.S. Ramsey (2000) Multisensor/multiwavelength data fusion over steep volcanic terrain: Analysis challenges in the next era of remote sensing, *Remote Sensing of Environment*, **submitted**.

Wessels, R.L., and M.S. Ramsey (2003) Multisensor/multiwavelength data fusion over steep volcanic terrain: Analysis challenges in the next era of remote sensing, *Journal of Information - Fusion*, **submitted**.

Wright, R., D.A. Rothery, S. Blake, A.J.L. Harris, and D.C. Pieri (1999) Simulating the response of the EOS Terra ASTER sensor to high- temperature volcanic targets, *Geophysical Research Letters*, **26(12)**: 1773-1776.

Wright, R., D.A. Rothery, S. Blake, and D.C. Pieri (2000) Improved remote sensing estimates of lava flow cooling: A case study of the 1991-1993 Mount Etna eruption, *Journal of Geophysical Research-Solid Earth*, **105(B10)**: 23681-23694.

Yamaguchi, Y. (1995) Application of ASTER data to geological studies, *Journal of the Remote Sensing Society of Japan*, **15(2)**: 50-55.

Yamaguchi, Y., H. Fujisada, M. Kudoh, T. Kawakami, H. Tsu, A.B. Kahle, and M. Pniel (1999) ASTER instrument characterization and operation scenario, *Advances in Space Research*, **23(8)**: 1415-1424.

Yamaguchi, Y., H. Fujisada, H. Tsu, I. Sato, H. Watanabe, M. Kato, M. Kudoh, A.B. Kahle, and M. Pniel (2001) ASTER early image evaluation, *Advances in Space Research*, **28(1)**: 69-76.

Yamaguchi, Y., H. Hase, and K. Ogawa (1992) Remote sensing for geothermal applications, *Episodes*, **15(1)**: 62-67.

Yamaguchi, Y., A.B. Kahle, M. Pniel, H. Tsu, and T. Kawakami (1998) Overview of Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER), *IEEE Transactions on Geoscience and Remote Sensing*, **36(4)**: 1062-1071.

Yamaguchi, Y., I. Sato, and H. Tsu (1992) ITIR design concept and science missions, *The Use of EOS for Studies of Atmospheric Physics*: 229-310.

Zhou, L., R.E. Dickinson, Y. Tian, M. Jin, K. Ogawa, H. Yu, and T.J. Schmugge (2004) A sensitivity study of climate of energy balance simulations with use of satellite derived emissivity data over the northern African and the Arabian Peninsula, *Journal of Geophysical Research*, **submitted**.

Zhou, L., R.E. Dickinson, Y. Tian, K. Ogawa, T. Schmugge, M. Jin, and E. Tsvetsinkaya (2004) Relations between albedos and emissivities from MODIS and ASTER data over North African desert, *Geophysical Research Letters*, **in press**.

Zhu, G., and D.G. Blumberg (2002) Classification using ASTER data and SVM algorithms - The case study of Beer Sheva, Israel, *Remote Sensing of Environment*, **80(2)**: 233-240.

Zhukov, B., D. Oertel, F. Lanzl, and G. Reinhaeckel (1999) Unmixing-based multisensor multiresolution image fusion, *IEEE Transactions on Geoscience and Remote Sensing*, **37(3)**: 1212-1226.

BOOKS/BOOK SECTIONS

Abrams, M., A. Gillespie, A. Kahle, and L. Rowan (1994) "Contributions to workshop", in *Airborne Remote Sensing for Geology and the Environment - Present and Future*, (K. Watson, and D.H. Knepper, Eds.), Washington, DC, US Government Printing Office.

Abrams, M., and S. Hook (2002) *ASTER User Handbook*, Jet Propulsion Laboratory, Pasadena, California.

Abrams, M., and S. Hook (2002) "Imaging spectroscopy in the thermal infrared", in *Imaging Spectroscopy Applications*, (F. van der Meer, and S. de Jong, Eds.), Netherlands, Kluwer Academic Publishers.

Abrams, M.J., A.B. Kahle, A.R. Gillespie, J. Conel, and H.R. Lang (1985) "Geologic utility of Landsat-4 TM data", in *Landsat-4 Science Characterization Early Results* (NASA CP-2355), pp. 127-131.

Carlson, T.N., D.A.J. Ripley, and T.J. Schmugge (2001) "Rapid soil drying and its implications for remote sensing of soil moisture and the surface energy fluxes", in *Thermal Remote Sensing in Land Surface Processes*, *in press*, Ann Arbor Press.

Dozier, J., and Z. Wan (1993) "Development of practical multiband algorithms for land-surface temperature from EOS/MODIS data", in *Remote Sensing of Earth's Surface and Atmosphere*, pp. 81-90.

Fujisada, H., and A. Ono (1992) "Observational performance of ASTER instrument on EOS-AM1 spacecraft", in *Remote Sensing of Earth's Surface and Atmosphere*, (A.B. Kahle, E.J. Njoku, F.D. Palluconi, A.R. Gillespie, S.J. Hook, C.M. Hayden, K. Tsuchiya, and J. Dozier, Eds.), New York, Pergamon Press, pp. 147-150.

Goodison, B., R.D. Brown, R.G. Crane, R.B. Alley, R. Bales, D. Barber, R. Barry, C. Bentley, T. Carroll, B. Cline, C.R. Duguay, G.M. Flato, D.K. Hall, R. Harrison, J.S. Kargel, H.H. Kieffer, S. Munro, C. Parkinson, B.H. Raup, A. Rothrock, and M. Sharp (1998) "Chapter 6, Cryospheric Systems", in *EOS Science Plan*, pp. 263-307.

Hook, S., E. Abbott, C. Grove, A. Kahle, and F. Palluconi (1998) "Multispectral thermal infrared data in geological studies", in *Remote Sensing for the Earth Sciences, Manual of Remote Sensing*.

Kahle, A.B., M.J. Abrams, E.A. Abbott, P.J. Mouginis-Mark, and V.J. Realmuto (1995) "Remote sensing of Mauna Loa", in *Mauna Loa - Revealed. Structure, Composition, History and Hazards, Geophysical Monograph* 92, (J.M. Rhodes, and J.P. Lockwood, Eds.), Washington, DC, American Geophysical Union, pp. 145-170.

Kahle, A.B., F.D. Palluconi, and P.R. Christensen (1993) "Thermal emission spectroscopy: Application to the Earth and Mars", in *Remote Geochemical Analysis: Elemental and Mineralogical Composition*, (C.M. Pieters, and P.A.J. Englert, Eds.), Cambridge, Massachusetts, Cambridge University Press, pp. 99-120.

Lang, H.R. (1999) "Chapter 7, Stratigraphy", in *Remote Sensing for the Earth Sciences, Manual of Remote Sensing*, (A.N. Renz, Ed., New York, NY, John Wiley and Sons, pp. 351-368.

Mills, F., Y. Kannari, H. Watanabe, M. Sano, and S.H. Chang (1992) "Thermal airborne multispectral ASTER simulator and its preliminary results", in *Remote Sensing of Earth's Surface and Atmosphere*, (A.B. Kahle, E.J. Njoku, F.D. Palluconi, A.R. Gillespie, S.J. Hook, C.M. Hayden, K. Tsuchiya, and J. Dozier, Eds.), New York, NY, Pergamon Press, pp. 49-58.

Moriyama, M., and K. Arai (1993) "An inversion for emissivity temperature separation with data", in *Remote Sensing of Earth's Surface and Atmosphere*, (A.B. Kahle, E.J. Njoku, F.D. Palluconi, A.R. Gillespie, S.J. Hook, C.M. Hayden, K. Tsuchiya, and J. Dozier, Eds.), New York, NY, Pergamon Press, pp. 67-70.

Njoku, E.G., S.J. Hook, and A. Chehbouni (1996) "Effects of surface heterogeneity on thermal remote sensing of land parameters", in *Scaling up in Hydrology using Remote Sensing*, (J.B. Stewart, E.T. Engman, R.A. Feddes, and Y. Kerr, Eds.), New York, Wiley, pp. 19-37.

Ohmae, H., S. Kitamura, and M. Niwa (1993) "Overview of Thermal Infrared Radiometer on ASTER", in *Remote Sensing of Earth's Surface and Atmosphere*, (A.B. Kahle, E.J. Njoku, F.D. Palluconi, A.R. Gillespie, S.J. Hook, C.M. Hayden, K. Tsuchiya, and J. Dozier, Eds.), New York, Pergamon Press, pp. 151-154.

Ramsey, M.S. (2003) "Mapping the city landscape from space: The Advanced Spaceborne Thermal Emission and Reflectance Radiometer (ASTER) urban environmental monitoring program", in *Earth Science in the City*, (G. Heiken, R. Fakundiny, and J. Sutter, Eds.), Washington, DC, American Geophysical Union Press,

pp. 337-361.

Rango, A., J.C. Ritchie, W.P. Kustas, T.J. Schmugge, and K.M. Havstad (1998) "JORNEX: remote sensing to quantify long-term vegetation change and hydrological fluxes in an arid rangeland environment", in *Hydrology in a Changing Environment*, John Wiley, pp. 585-590.

Rokugawa, S., T. Matsunaga, H. Tsu, and Y. Ishii (1993) "Future potential of thermal infrared multispectral data mapping temperature and emissivity parameters", in *Remote Sensing of Earth's Surface and Atmosphere*, (A.B. Kahle, E.J. Njoku, F.D. Palluconi, A.R. Gillespie, S.J. Hook, C.M. Hayden, K. Tsuchiya, and J. Dozier, Eds.), New York, Pergamon Press, pp. 71-80.

Stefanov, W.L., P.R. Christensen, and M.S. Ramsey (2001) "Remote sensing of urban ecology at regional and global scales: Results from the Central Arizona-Phoenix LTER site and ASTER urban environmental monitoring program", in *Remote Sensing of Urban Areas, Regensburger Geographische Schriften*, (C. Jürgens, Ed., pp. 313-321.

Tsu, H., Y. Miyazaki, Y. Yamaguchi, and I. Sato (1993) "Current status and science objectives of ASTER Project", in *Remote Sensing of Earth's Surface and Atmosphere*, (A.B. Kahle, E.J. Njoku, F.D. Palluconi, A.R. Gillespie, S.J. Hook, C.M. Hayden, K. Tsuchiya, and J. Dozier, Eds.), New York, Pergamon Press, pp. 141-145.

REPORTS

Stadler, S.J., K.P. Czajkowski, S.N. Goward, and Y. Xue (2002) *Terrstrial environmental variable derived from EOS platform sensors*, Oklahoma State University, Stillwater, Oklahoma, 12.

Brenner, R., J.H. Lala, G.A. Nagle, A. Schor, and J. Turkovich (1994) *Advanced information processing system: Hosting of advanced guidance, navigation and control algorithms on AIPS using ASTER (final report)*, NASA1-18565.

Haraki, Y. (1998) *Now and Future: Remote Sensing Technology Utilizing Satellites*, NASA #19980018618.

Kahle, A.B., F. Palluconi, C. LeVine, M. Abrams, D. Nash, R. Alley, and J. Schieldge (1982) *Evaluation of thermal data for geologic applications*, Jet Propulsion Laboratory, Pasadena, California, Publication 83-56, 106.

Slater, P., and K.C. Thome (1997) *EOS Contract Report: The ASTER and MODIS Projects (Semiannual Report, 1 Jan. 1997 - 30 Jun. 1997)*, NASA-CR-205013.

Welch, R.M. (1993) *The effects of cloud inhomogeneities upon radiative fluxes, and the supply of a cloud truth validation dataset (Semiannual Progress Report, 1 Jul. -31 Dec. 1992)*, NASA-CR-191711.